OMB Control No. 2900-0776 Respondent Burden: 30 Minutes Expiration Date: 03/31/2021

| Department of Veterans A | | DRY-MOTOR PERIPHERAL NEUROPATHY ITY BENEFITS QUESTIONNAIRE |
|---|---|--|
| IMPORTANT - THE DEPARTMENT OF VET | ERANS AFFAIRS (VA) WILL NOT PAY OR 1 | REIMBURSE ANY EXPENSES OR COST INCURRED IN THE RIVACY ACT AND RESPONDENT BURDEN INFORMATION |
| NAME OF PATIENT/VETERAN (First, Middle Initial, | Last) | |
| | | |
| PATIENT/VETERAN'S SOCIAL SECURITY NUMBE | R | |
| | | |
| NOTE TO PHYSICIAN - Your patient is apply provide on this questionnaire as part of their evalua private health care providers. | ation in processing the veteran's claim. VA reserve | VA) for disability benefits. VA will consider the information you is the right to confirm the authenticity of ALL DBQ's completed by |
| 1A. DOES THE VETERAN NOW HAVE OR HAS H | SECTION I - DIAGNOSIS | |
| YES NO (If "Yes," complete Item | | IIC FERIFIERAL NEUROFAINT? |
| 1B. PROVIDE DIAGNOSES THAT PERTAIN TO DI | 7 | |
| DIAGNOSIS # 1 - | ICD CODE - | DATE OF DIAGNOSIS - |
| DIAGNOSIS # 2 - | ICD CODE - | DATE OF DIAGNOSIS - |
| DIAGNOSIS # 3 - | ICD CODE - | DATE OF DIAGNOSIS - |
| 1C. IF THERE ARE ADDITIONAL DIAGNOSES TH | | |
| 2B. DESCRIBE THE HISTORY (including cause, or | nset and course) OF THE VETERAN'S DIABETIC P | ERIPHERAL NEUROPATHY |
| | | |
| | | |
| 2C. DOMINANT HAND | S | |
| | SECTION III - SYMPTOMS | |
| 3. DOES THE VETERAN HAVE ANY SYMPTOMS A | | ROPATHY? |
| YES NO (If "Yes," indicate symptom | s' location and severity) (Check all that apply): | |
| CONSTANT PAIN (may be excruciating at tin | nes) | |
| RIGHT UPPER EXTREMITY: None | Mild Moderate Severe | |
| LEFT UPPER EXTREMITY: None | Mild Moderate Severe | |
| RIGHT LOWER EXTREMITY: None | Mild Moderate Severe | |
| LEFT LOWER EXTREMITY: None | Mild Moderate Severe | |
| INTERMITTENT PAIN (usually dull) | | |
| | Mild Moderate Severe | |
| | Mild Moderate Severe | |
| RIGHT LOWER EXTREMITY: None |] Mild Moderate Severe | |
| LEFT LOWER EXTREMITY: None | Mild Moderate Severe | |
| | | |

| PATIENT/VETERAN'S SOCI | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|
| | SECTION III - SYMPTOMS (Continued) | | | | | | | | | |
| 3. DOES THE VETERAN HAVE ANY SYMPTOMS ATTRIBUTABLE TO DIABETIC PERIPHERAL NEUROPATHY? (Continued) | | | | | | | | | | |
| PARESTHESIAS AND/OR DYSESTHESIAS | | | | | | | | | | |
| RIGHT UPPER EXTR | EMITY: None Mild Moderate Severe | | | | | | | | | |
| LEFT UPPER EXTRE | MITY: None Mild Moderate Severe | | | | | | | | | |
| RIGHT LOWER EXTR | REMITY: None Mild Moderate Severe | | | | | | | | | |
| LEFT LOWER EXTRE | | | | | | | | | | |
| | | | | | | | | | | |
| RIGHT UPPER EXTR | EMITY: None Mild Moderate Severe | | | | | | | | | |
| LEFT UPPER EXTRE | MITY: None Mild Moderate Severe | | | | | | | | | |
| RIGHT LOWER EXTR | REMITY: None Mild Moderate Severe | | | | | | | | | |
| LEFT LOWER EXTRE | EMITY: None Mild Moderate Severe | | | | | | | | | |
| | (Describe symptoms, location and severity): | | | | | | | | | |
| | (Describe symptoms, rocation and severity). | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 4A. STRENGTH - RATE ST 0/5 No muscle movemen | TRENGTH ACCORDING TO THE FOLLOWING SCALE: 1t 2/5 No movement against gravity 4/5 Less than normal strength | | | | | | | | | |
| | ment, but no joint movement 3/5 No movement against resistance 5/5 Normal strength | | | | | | | | | |
| All normal | | | | | | | | | | |
| Elbow Flexion | RIGHT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| | LEFT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| Elbow Extension | RIGHT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| | LEFT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| Wrist Flexion | RIGHT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| Wrist Extension | RIGHT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| | LEFT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| Grip | RIGHT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| | LEFT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| Pinch (thumb to index finger) | RIGHT: 5/5 4/5 3/5 2/5 0/5 | | | | | | | | | |
| Knee Extension | LEFT: 5/5 4/5 3/5 2/5 1/5 0/5 RIGHT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| KIEE EXCENSION | LEFT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| Knee Flexion | RIGHT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| | LEFT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| Ankle Plantar Flexion | RIGHT: 5/5 4/5 3/5 2/5 0/5 | | | | | | | | | |
| | LEFT: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | | | | | |
| Ankle Dorsiflexion | RIGHT: 5/5 4/5 3/5 2/5 0/5 | | | | | | | | | |
| | LEFT: 5/5 4/5 3/5 2/5 0/5 | | | | | | | | | |
| | EXES (DTRs) - RATE REFLEXES ACCORDING TO THE FOLLOWING SCALE: | | | | | | | | | |
| 0 - Absent 1+ Decreased | 2+ Normal 4+ Increased with clonus 3+ Increased without clonus | | | | | | | | | |
| All normal | | | | | | | | | | |
| Biceps | RIGHT: 0 1+ 2+ 3+ 4+ | | | | | | | | | |
| | LEFT: 0 1+ 2+ 3+ 4+ | | | | | | | | | |
| Triceps | RIGHT: 0 1+ 2+ 3+ 4+ | | | | | | | | | |
| | LEFT: 0 1+ 2+ 3+ 4+ | | | | | | | | | |
| Brachioradialis | RIGHT: 0 1+ 2+ 3+ 4+ | | | | | | | | | |
| Kee | | | | | | | | | | |
| Knee | RIGHT: 0 1+ 2+ 3+ 4+ LEFT: 0 1+ 2+ 3+ 4+ | | | | | | | | | |
| Ankle | RIGHT: 0 1+ 2+ 3+ 4+ | | | | | | | | | |
| | LEFT: 0 1+ 2+ 3+ 4+ | | | | | | | | | |

| PATIENT/VETERAN'S SOCIA | L SECURI | TY N | UMBER | | | - F | | _ | | | |
|---|---|-----------|------------------|-----------|------------------------|------------|------------------|--|---------------|-----------|----------------------------------|
| | | | _ | S | SECTION | V - NE | UROLO | GIC | EXAM (C | ontinue | d) |
| SECTION IV - NEUROLOGIC EXAM (Continued) 4C. LIGHT TOUCH/MONOFILAMENT TESTING RESULTS | | | | | | | | | | | |
| All Normal | | | | | | | | | | | |
| Shoulder area | RIGHT: | | Normal | | Decreased | 1 [| Absent | | | | |
| | LEFT: | | Normal | | Decreased | d [| Absent | | | | |
| Inner/outer forearm | RIGHT: | | Normal | | Decreased | 1 [|] Absent | | | | |
| | LEFT: | | Normal | | Decreased | з <u>Г</u> | Absent | | | | |
| Hand/fingers | RIGHT: | Ц | Normal | Ц | Decreased | | Absent | | | | |
| | LEFT: | Ц | Normal | Ц | Decreased | | Absent | | | | |
| Knee/thigh | RIGHT: | | Normal | | Decreased | | Absent | | | | |
| Ankle/lower leg | LEFT: RIGHT: | | Normal Normal | | Decreased Decreased | | Absent Absent | | | | |
| Anticiower leg | LEFT: | H | Normal | | Decreased | | Absent | | | | |
| Foot/toes | RIGHT: | Н | Normal | Н | Decreased | | Absent | | | | |
| | LEFT: | П | Normal | П | Decreased | | Absent | | | | |
| 4D. POSITION SENSE (gra | sn inder fi | noer/ | oreat toe | on si | des and ask | natien | t to ident | ify u | n and down | movemen | |
| Not tested | sp maen jn | .80.7 | 8.000.000 | | | punen | i io iuciii | <i>,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | ·/ |
| RIGHT UPPER EXTREMIT | Y | \square | Normal | \square | Decreased | | Absent | | | | |
| LEFT UPPER EXTREMITY | | | Normal | | Decreased | | Absent | | | | |
| RIGHT LOWER EXTREMIT | Y | | Normal | | Decreased | | Absent | | | | |
| LEFT LOWER EXTREMITY | <i>,</i> | | Normal | | Decreased | | Absent | | | | |
| 4E. VIBRATION SENSATIO | N (place lo | w-pi | tched tun | ing fo | ork over DII | p joint | of index f | ìnge | r/IP joint of | great toe | |
| Not tested | u. | | | 01 | | | | 0 | | | |
| RIGHT UPPER EXTREMIT | Y | | Normal | | Decreased | 1 | Absent | | | | |
| LEFT UPPER EXTREMITY | | | Normal | | Decreased | I 🗌 | Absent | | | | |
| RIGHT LOWER EXTREMIT | Y | | Normal | | Decreased | ı [_ | Absent | | | | |
| LEFT LOWER EXTREMITY | / | | Normal | | Decreased | | Absent | | | | |
| 4F. COLD SENSATION (test | t distal extr | emit | ies for col | d sen | sation with | side oj | f tuning fo | ork) | | | |
| Not tested | | | | | | | | | | | |
| | Y | Н | Normal | | Decreased | | Absent | | | | |
| LEFT UPPER EXTREMITY RIGHT LOWER EXTREMIT | ~ | H | Normal Normal | | Decreased Decreased | | Absent Absent | | | | |
| LEFT LOWER EXTREMITY | | Н | Normal | Н | Decreased | | Absent | | | | |
| | | | | | | | | | | | |
| 4G. DOES THE VETERAN | HAVE MUS | SCLE | AIROPH | Y? | | | | | | | |
| | | 1 | | | | | | | | | |
| (If muscle atrophy is presen | nt, indicate | e loca | ition): | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| (For each instance of musc | cle atrophy | , pro | vide meas | urem | ents in cm l | betwee | n normal | and | atrophied si | de, meast | ured at maximum muscle bulk:cm.) |
| 4H. DOES THE VETERAN HAVE TROPHIC CHANGES (characterized by loss of extremity hair, smooth, shiny skin, etc.) ATTRIBUTABLE TO DIABETIC PERIPHERAL | | | | | | | | | | | |
| | | | | | | | | | | | |
| YES NO (If "Yes," describe): | | | | | | | | | | | |
| | | | | | | | | | | | |
| SECTION V - SEVERITY | | | | | | | | | | | |
| NOTE: Based on symptoms and findings from Sections III and IV, complete Items 5a and 5b below to provide an evaluation of the severity of the veteran's diabetic peripheral neuropathy. | | | | | | | | | | | |
| NOTE: For VA purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete paralysis that is given with each nerve. If the nerve is completely paralyzed, check the box for "complete paralysis". If the nerve is not completely paralyzed, check the box for "incomplete paralysis" and indicate severity. | | | | | | | | | | | |
| For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate. | | | | | | | | | | | |
| 5A. DOES THE VETERAN HAVE AN UPPER EXTREMITY DIABETIC PERIPHERAL NEUROPATHY? | | | | | | | | | | | |
| YES NO (If "Yes," indicate nerve affected, severity and side affected) | | | | | | | | | | | |
| RADIAL NERVE (musculospiral nerve) | | | | | | | | | | | |
| (NOTE: Complete paralysis (hand and fingers drop, wrist and fingers flexed; cannot extend hand at wrist, extend proximal phalanges of fingers, extend thumb or | | | | | | | | | | | |
| | make lateral movement of wrist; supination of hand, elbow extension and flexion weak, hand grip impaired.) RIGHT: Normal Incomplete paralysis | | | | | | | | | | |
| | _ | | • | | | | ere haral) | 315 | | | |
| (If incomplete paralysis is checked, indicate severity): | | | | | | | | | | | |
| Mild Moderate Severe | | | | | | | | | | | |

| PATIENT/VETERAN'S SOCIAL SECURITY NUMBER | | | | |
|--|------------------------|-----------------------|--------------------------|--|
| | SECTIO | N V - SEVERI | TY (Continued) | |
| 5A. DOES THE VETERAN HAVE AN UPPER EXTREM | _ | | ROPATHY? (Continue | ?d) |
| | paralysis Compl | lete paralysis | | |
| (If incomplete paralysis is checked, ind | | | | |
| Mild Moderate | Severe | | | |
| MEDIAN NERVE (NOTE: Complete paralysis (hand inclined to opposition of thumb, cannot flex distal phalanx RIGHT: Normal Incomplete paralysis | x of thumb; wrist flex | exion weak.) | gers extended, atroph | hy of thenar eminence, cannot make fist, defective |
| (If incomplete paralysis is checked, ina | licate severity): | | | |
| Mild Moderate | Severe | | | |
| LEFT: Normal Incomplete p | aralysis Compl | ete paralysis | | |
| (If incomplete paralysis is checked, indu | | • - | | |
| Mild Moderate | Severe | | | |
| | | | | |
| cannot spread fingers, cannot adduct the thum | b; wrist flexion weak | ikened.) | es, thenar and hypoth | henar eminences; cannot extend ring and little finger, |
| | | ete paralysis | | |
| (If incomplete paralysis is checked, ina Mild Moderate | Severe | | | |
| | | te estelvoio | | |
| LEFT: Normal Incomplete p | | ete paralysis | | |
| (If incomplete paralysis is checked, indi | Severe | | | |
| | | | | |
| 5B. DOES THE VETERAN HAVE A LOWER EXTREMI | | | OPATHY? | |
| YES NO (If "Yes," indicate nerve affec | ted, severity and sia | le affected) | | |
| SCIATIC NERVE | | | | |
| (NOTE: Complete paralysis (foot dangles and | · | | les below the knee, fle | exion of knee weakened or lost.) |
| | ralysis Complet | e paralysis. | | |
| (If incomplete paralysis is checked, ind | _ | | | |
| | Moderately Seve | | e, with marked muscula | ar atrophy |
| LEFT: Normal Incomplete par | | te paralysis | | |
| (If incomplete paralysis is checked, ind | _ | — . | | |
| Mild Moderate | Moderately Seve | ere Severe | e, with marked muscula | ar atrophy |
| FEMORAL NERVE (anterior crural) | | | | |
| (NOTE: Complete paralysis (paralysis of quad | lriceps extensor mu | scles.) | | |
| RIGHT: Normal Incomplete part | ralysis 🗌 Complet | te paralysis | | |
| (If incomplete paralysis is checked, ind | icate severity): | | | |
| Mild Moderate | Moderately Seve | ere | | |
| LEFT: Normal Incomplete par | ralysis 🗌 Complete | e paralysis | | |
| (If incomplete paralysis is checked, ind | icate severity): | | | |
| Mild Moderate | Moderately Seve | ere | | |
| SECTION VI - OTHER PERTINENT | PHYSICAL FIND | UNGS, COMP | LICATIONS, COND | DITIONS, SIGNS AND/OR SYMPTOMS |
| 6A. DOES THE VETERAN HAVE ANY SCARS (surgio IN SECTION I, DIAGNOSIS? | al or otherwise) RE | LATED TO ANY | CONDITIONS OR TO | THE TREATMENT OF ANY CONDITIONS LISTED |
| | nful and/or unstable | e, or is the total of | trea of all related scar | rs greater than or equal to 39 square cm (6 square inches?)) |
| YES NO (If "Yes," ALSO complete VA For | | | | |
| 6B. DOES THE VETERAN HAVE ANY OTHER PERTI ANY CONDITIONS LISTED IN SECTION I, DIAGN | | INDINGS, COMF | PLICATIONS, CONDIT | IONS, SIGNS AND/OR SYMPTOMS RELATED TO |
| YES NO (If "Yes," describe) (Brief sum | | | | |
| | mary). | | | |
| | | | | |

| PATIENT/VETERAN'S SOCIAL SECURITY NUMB | ER | 7- | | 7- | | 7 | |
|---|--------------------|-----------------|------------------|----------------|-----------------------|-----------------------------|------------------|
| | SI | | N VII - [| | OSTIC TESTING | | |
| NOTE: For purposes of this examination, electromyography (EMG) studies are rarely required to diagnose diabetic peripheral neuropathy. The diagnosis of diabetic peripheral neuropathy can be made in the appropriate clinical setting by a history of characteristic pain and/or sensory changes in a stocking/glove distribution and objective clinical findings, which may include symmetrical lost/decreased reflexes, decreased strength, lost/decreased sensation for cold, vibration and/or position sense, and/or lost/decreased sensation to monofilament testing. | | | | | | | |
| 7A. HAVE EMG STUDIES BEEN PERFORMED? | | | | | | | |
| YES NO | | | | | | | |
| (Extremities tested): | | | | | | | |
| RIGHT UPPER EXTREMITY Results: | Normal | 🗌 Ab | normal | Date: | | | |
| LEFT UPPER EXTREMITY Results: | Normal | | normal | | | | |
| RIGHT LOWER EXTREMITY Results: LEFT LOWER EXTREMITY Results: | Normal Normal | | normal normal | Date: Date: | | | |
| (If abnormal, describe): | | | | | | | |
| (1) ubnormul, uescribe). | | | | | | | |
| 7B. IF THERE ARE OTHER SIGNIFICANT FIND | NGS OR DIAGNC | STIC T | EST RE | SULTS, | PROVIDE DATES A | ND DESCRIBE | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | SE | | - IIIV N | FUNCT | IONAL IMPACT | | |
| | | | | | | | |
| YES NO If "Yes," describe in | npact of the veter | ran's au | авепс ре | eripnera | ii neuropatny, provid | ling one or more examples: | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 9. REMARKS, if any: | | S | ECTION | NIX - R | EMARKS | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | CEDTI | FICATION AND SI | CNATURE | |
| CERTIFICATION - To the best of my l | | - | - | | | | |
| 10A. PHYSICIAN'S SIGNATURE (Sign in ink) | | - | | | RINTED NAME | | 10C. DATE SIGNED |
| | | | | | | | |
| 10D. PHYSICIAN'S PHONE AND FAX NUMBER | | | וחבם וחו | | R (NPI) NUMBER | 10F. PHYSICIAN'S ADDRE | |
| | IUL. NATIONAL | | | | R (NET) NOWBER | | |
| | | | | | | | |
| NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application. | | | | | | | |
| IMPORTANT - Physician please fax the completed form to | | | | | | | |
| (VA Regional Office FAX No.) NOTE - A list of VA Regional Office FAX Numbers can be found at <u>www.benefits.va.gov/disabilityexams</u> or obtained by calling 1-800-827-1000. | | | | | | | |
| NOTE - A list of VA Regional Office FAX Nur | | iu at <u>wy</u> | ww.bene | ms.va. | gov/disabiiityexaiiis | s of obtained by cannig 1-8 | J0-827-1000. |
| | | | | | | | |
| PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the | | | | | | | |
| United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the | | | | | | | |
| Federal Register. Your obligation to respond is voluntary. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for | | | | | | | |
| refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is | | | | | | | |
| considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies. | | | | | | | |
| RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that | | | | | | | |
| you will need an average of 30 minutes to review the instructions, find the information, and complete a form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain . If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form. | | | | | | | |