OMB Approved No. 2900-0809 Respondent Burden: 30 minutes Expiration Date: 12/31/2020

1	∇	Department of V	eterans Affair
Α,	. —	Department or v	eterario Ariai

HAND AND FINGER CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION ON REVERSE BEFORE COMPLETING FORM.							
NAME OF PATIENT/VETERAN							
PATIENT/VETERAN'S SOCIAL SECURITY NUMBER							
NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Ve	eterans Affairs (VA) for disability benefits. VA will consider the information you						
provide on this questionnaire as part of their evaluation in processing the veteran's private health care providers.	claim. VA reserves the right to confirm the authenticity of ALL DBQ's completed by						
	CORD REVIEW						
WAS THE VETERAN'S VA CLAIMS FILE REVIEWED? YES NO							
IF YES, LIST ANY RECORDS THAT WERE REVIEWED BUT WERE NOT INCLUDE	ED IN THE VETERAN'S VA CLAIMS FILE:						
IF NO, CHECK ALL RECORDS REVIEWED:							
Military service treatment records Department of Defense Form 2	214 Separation Documents						
	n medical records (VA treatment records)						
Military enlistment examination Civilian medical records							
Military separation examination Interviews with collateral witne	sses (family and others who have known the veteran before and after military service)						
No records were reviewed							
SECTION I	- DIAGNOSIS						
NOTE: These are condition(s) for which an evaluation has been requested on an example of the condition of th	exam request form (Internal VA) or for which the Veteran has requested medical						
evidence be provided for submission to VA. 1A. LIST THE CLAIMED CONDITION(S) THAT PERTAIN TO THIS DBQ:							
THE SECTION OF THE SE							
from a previous diagnosis for this condition, or if there is a diagnosis of a complication of the condition	laimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different ation due to the claimed condition, explain your findings and reasons in comments ng the initial diagnosis, or an approximate date determined through record review or						
1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) (Ch	eck all that apply):						
The Veteran does not have a current diagnosis associated with any claimed cor	ndition listed above. (Explain your findings and reasons in comments section.)						
Dupuytren's contracture Side affected: Right Left Both	ICD Code:						
Dupuytren's contracture Side affected: Right Left Both Trigger finger Side affected: Right Left Both	ICD Code: Date of diagnosis: Date of diagnosis:						
Swan neck deformity Side affected: Right Left Both	ICD Code: Date of diagnosis:						
Boutonniere deformity Side affected: Right Left Both	ICD Code: Date of diagnosis:						
Mallet finger Side affected: Right Left Both	ICD Code: Date of diagnosis:						
Gamekeeper's thumb Side affected: Right Left Both	ICD Code: Date of diagnosis:						
Instability (collateral ligament sprain, chronic) Side affected: Right Left Both	ICD Code: Date of diagnosis:						
Volar plate injury Side affected: Right Left Both	ICD Code: Date of diagnosis:						
Degenerative arthritis (MCP/PIP/DIP) Side affected: Right Left Both	ICD Code: Date of diagnosis:						
MCP/PIP joint prosthetic replacement Side affected: Right Left Both	ICD Code: Date of diagnosis:						
Ankylosis of digit joint(s), Side affected: Right Left Both specify joint(s):	ICD Code: Date of diagnosis:						
Other (specify) Other diagnosis #1:							
Side affected: Right Left Both ICD Code:	Date of diagnosis:						
Other diagnosis #2:							
Side affected: Right Left Both ICD Code:	Date of diagnosis:						
Other diagnosis #3:							
Side affected: Pight I Left Roth ICD Code:	Date of diagnosis:						

SECTION II - MEDICAL HISTORY									
2A. DESCRIBE THE HISTORY (including onset and course) OF THE VETERAN'S HAND, FINGER OR THUMB CONDITION (brief summary):									
2B. DOMINANT HAND:									
RIGHT LEFT AMBIDEXTROUS									
2C. DOES THE VETERAN REPORT THAT FLARE-UPS IMPACT THE FUNCTION OF THE HAND, FINGER OR THUMB? YES NO									
YES NO IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF THE IMPACT OF FLARE-UPS IN HIS OR HER OWN HANDS:									
TEO, DOCUMENT THE VETERVING DECORAL TION OF THE INITIATION OF TENNE OF OUNTILE CONTINUED.									
2D. DOES THE VETERAN REPORT HAVING ANY FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT OF THE JOINT OR EXTREMITY BEING EVALUATED ON THIS									
DBQ (regardless of repetitive use)?									
YES NO									
IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT IN HIS OR HER OWN WORDS:									
SECTION III - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS									
Measure ROM with a goniometer, rounding each measurement to the nearest 5 degrees, or measure the gap between thumb pad and fingers or between fingers and palm									
according to the guidance below. During ROM evaluation, observe any evidence of painful motion, manifested by visible behavior such as facial expression, wincing, on pressure or manipulation, etc. Document painful movement in question 5 below.									
Following the initial assessment of ROM, perform repetitive-use testing. For VA purposes, repetitive-use testing must be included in all joint exams. The VA has determined									
that 3 repetitions of ROM (at a minimum) can serve as a representative test of the effect of repetitive use. After the initial measurement, reassess ROM after 3 repetitions. Report post-test measurements in question 4.									
For digits II through V, the metacarpophalangeal joint has a range of zero to 90 degrees of flexion, the proximal interphalangeal joint has a range of zero to 100 degrees of									
flexion, and the distal (terminal) interphalangeal joint has a range of zero to 70 or 80 degrees of flexion. For the index, long, ring, and little fingers (digits II, III, IV, and V), zero degrees of flexion represents the fingers fully extended, making a straight line with the rest of the hand.									
3A. WERE ALL ROM MEASUREMENTS NORMAL?									
YES NO, COMPLETE QUESTIONS 3B THROUGH 3F									
3B. FINGER FLEXION: DOCUMENT THE ROM IN DEGREES									
Check "Not Tested" only if all joints within that described hand/digit were not tested. In the case of each named individual joint, "Not Tested" simply means that joint was not									
tested. In either case, provide reason for not testing in the section provided below the tables.									
Left Hand Not Tested									
Thumb Index finger Long finger Ring finger Little finger									
Not Tested Not Tested Not Tested Not Tested Not Tested									
ROM: ROM: ROM: ROM: ROM:									
CMC Not tested Not tested Not tested Not tested Not tested									
ROM: PIP ROM: R									
Not tested Not tested Not tested Not tested Not tested									
Not tested Not tested Not tested Not tested									
Right Hand Not Tested									
Thumb Index finger Long finger Ring finger Little finger									
Not Tested Not Tested Not Tested Not Tested Not Tested									
CMC									
Not tested Not tested Not tested Not tested Not tested Not tested									
ROM: ROM: ROM: ROM:									
DIP Not tested Not tested Not tested Not tested									
IF ANY OF THE ADOVE JOINTS WEDE NOT TESTED DI FASE EVALANIMATIVA (a. a. a									
IF ANY OF THE ABOVE JOINTS WERE NOT TESTED, PLEASE EXPLAIN WHY (e.g., not indicated or Veteran was physically not able to perform):									

			ON III - INITIAL RAN	IGE OF N	MOTION (RC	<i>DM)</i> N	MEASUREMEN	TS (Co	ntinued)	
3C. FINGE	R EXTENSION: DOC	UMENT THE	ROM IN DEGREES							
Check "Not tested. In e	Check "Not Tested" only if all joints within that described hand/digit were not tested. In the case of each named individual joint, "Not Tested" simply means that joint was not tested. In either case, provide reason for not testing in the section provided below the tables.									
Left Hand Not Tested										
	Thumb		Index finger	Lor	ng finger		Ring finger		Little finger	7
	Not Tested		Not Tested	☐ No	t Tested		Not Tested		Not Tested	
0110	ROM:		ROM:	R	DM:	İΠ	ROM:	ĪΠ	ROM:	7
CMC	Not tested	MP	Not tested	☐ No	ot tested		Not tested		Not tested	'
IP [ROM:	PIP	ROM:	R	DM:		ROM:		ROM:	
	Not tested	PIP	Not tested	☐ No	ot tested		Not tested		Not tested	'
		DIP	ROM:	R	DM:		ROM:		ROM:	
		DIF	Not tested	☐ No	ot tested		Not tested		Not tested	
			Right Hand	Not Te	ested					7
	Thumb		Index finger	┯	ng finger		Ring finger		Little finger	-
	Not Tested		Not Tested	l	ot Tested	Ιп	Not Tested		Not Tested	
	ROM:		ROM:		OM:	Ħ	ROM:	ᆂ	ROM:	-
CMC	Not tested	MP	Not tested		ot tested		Not tested	1 1	Not tested	
	ROM:		ROM:	R	DM:	tΠ	ROM:	$\top \Box$	ROM:	
	Not tested	PIP	Not tested	=	ot tested	lΠ	Not tested	·	Not tested	,
			ROM:	R	OM:	愩	ROM:	一	ROM:	7
		DIP	Not tested		ot tested	lП	Not tested		Not tested	•
15 410/05	- T.U.S. A.B.O.V.S. J.O.W.J.S.		TESTED, PLEASE EX		n	7:	1 17 .	, .	11 . 11 .	
	RE A GAP BETWEEN E EXTENT POSSIBLI		HE BELOW LISTED FIN	IGERTIPS	AND THE PRO	OXIMA	AL TRANSVERSE	CREAS	SE OF THE PALM	1, WITH THE FINGER FLEXED
	Left Hand		Right Hand		7					
la da	No gap		No gap							
Index finger	140 gap									
		cm. gap	<u> </u>	cm. gap						
Long	No gap		No gap							
finger		cm. gap		cm dan						
		Cili. yap		cm. gap						
05 10 5115	-DE 4 045 DETMES		ID DAD AND THE ENG	·				2005 7		
3E. IS THE	RE A GAP BETWEEN	N THE THUM	IB PAD AND THE FING	ERS, WIII	H THE THUME	BAILE	EMPTING TO OPI	POSE I	HE FINGERS?	
	Left Hand		Right Hand							
Index	No gap		No gap							
finger		om gon		om gon						
		cm. gap	cm. gap							
Long	No gap		No gap							
finger		cm. gap		cm. gap						
		. cm. gap		ciii. gap						
Ring	No gap		No gap							
finger		cm. gap		cm. gap						
		. om. gap		ciii. gap						
Little	No gap		No gap							
finger		cm. gap		cm. gap						
		. o gap		gap						
2E DO 4N	V ADMODRANI DOMA-	NOTED AD	OVE CONTRIBUTE TO	ELINOTIO	NAL LOSSO					
3F. DO AN			OVE CONTRIBUTE TO							
L TES	L INO, EAPLAIN	VVIII IME	ABNORMAL ROMs DO	NOT CON	INDUIE.					

SECTION III - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS (Continued)								
	ITO THE NORMAL RANGE OF MOTION ID abitus, neurologic disease), EXPLAIN:	DENTIFIED ABOVE BUT IS NORMAL FO	OR THIS VETERAN (for reasons other than a hand					
44 IS THE VETERAN ARI E TO PE	SECTION IV - ROM MEASUREN REFORM REPETITIVE-USE TESTING WITH	MENTS AFTER REPETITIVE USE THE IC						
	TO PERFORM REPETITIVE-USE TESTING							
NO, THE VETERAN IS NOT A	BLE TO PERFORM <u>ANY</u> REPETITIVE-USE	TESTING FOR <u>ANY</u> OF THE JOINTS (OF THE DIGITS OR HANDS					
IF YES, CONTINUE TO QUESTION								
IF NO, PROVIDE REASON, THEN	SKIP TO QUESTION 5:							
	IMITATION IN ROM IN ANY OF THE JOINTS							
	N ROM IN <u>AT LEAST ONE</u> OF THE JOINTS IN ROM IN <u>ANY OF THE JOINTS</u> OF THE D							
	C THROUGH G (report ROM after a minimi							
IF NO, DOCUMENTATION OF ROM	AFTER REPETITIVE-USE TESTING IS NO	OT REQUIRED. PLEASE SKIP TO QUES	STION 5.					
4C. POST-TEST FINGER FLEXION	: DOCUMENT THE POST-TEST ROM IN DE	EGREES:						
Check "No change in ROM" (or "No within that described hand/digit.	change") only if all joints within that described	d hand/digit were tested and there was n	o additional limitation in ROM in any of the joints					
Check "Not Tested" only if all joints			joint, "Not Tested" simply means that joint was not					
tested. In eitner case, provide reaso	n for not testing in the section provided below	v the tables.						
Thumb	Left Hand No change in RO		Little Green					
No change in	_ _	g finger Ring finger change in No change in	Little finger No change in					
ROM Not Tested	ROM RO Not Tested Not	ROM ROM Not Tested	ROM Not Tested					
ROM:	□ ROM: □ RO		ROM:					
CMC Not tested		t tested Not tested	Not tested					
IP ROM:	PIP ROM: RO	M: ROM:	ROM:					
Not tested		t tested Not tested	Not tested					
	DIP ROM: ROM: RO Not tested Not	M: ROM: tested Not tested	ROM: Not tested					
Thumb	Right Hand No change in ROM Index finger Long	Not Tested g finger Ring finger	Little finger					
No change in	No change in No	change in No change in	No change in					
ROM Not Tested	ROM RO Not Tested Not	M ROM t Tested Not Tested	ROM Not Tested					
ROM:	□ ROM: □ RO		ROM:					
CMC Not tested	MP Not tested Not	t tested Not tested	Not tested					
IP ROM:	PIP ROM: RO		ROM:					
Not tested		t tested Not tested	Not tested					
	DIP ROM: ROM: RO	M:	ROM: Not tested					
IE ANV OF THE ABOVE JOINTS MA	ERE NOT TESTED, PLEASE EXPLAIN WHY	, – – – – – – – – – – – – – – – – – – –						
II ANT OF THE ABOVE JUINTS W	INC NOT TEGTED, FLEAGE EAFLAIN WITH	1 (c.g., not mateured of veteran was pr	ιγείστης ποι αυτό το ρετσοπή.					

SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING (Continued)									
4D. POST-	TEST FINGER EXTEN	NSION: DOC	CUMENT THE POST-TE	ST ROM IN	DEGREES				
within that on Check "Not	described hand/digit. Tested" only if all join	ts within that	•	ere not teste	d. In the case of e				ROM in any of the joints
			Left Hand No ch	nange in RO	M Not Te	ested]
	Thumb		Index finger		finger	Ring finger		Little finger	
	No change in ROM		No change in ROM	1	change in	No change in ROM		No change in ROM	
	Not Tested		Not Tested	☐ Not	Tested	Not Tested		Not Tested	
CMC	ROM:	MP	ROM:	RO	M:	ROM:		ROM:	
	Not tested	IVII	Not tested	Not	tested	Not tested		Not tested	
	ROM:	PIP	ROM:	RO	M:	ROM:		ROM:	
	Not tested		Not tested	☐ Not	tested	Not tested		Not tested	
		DIP	ROM:	☐ RO	м: _	ROM:		ROM:	
			Not tested	Not	tested	Not tested		Not tested]
		Righ	t Hand No chang	ge in ROM	Not Teste	d]
	Thumb		Index finger	_	finger	Ring finger		Little finger	
	No change in ROM		No change in ROM	│ □ No RO	change in	No change in ROM		No change in ROM	
	Not Tested		Not Tested	l —	Tested	Not Tested	П	Not Tested	
0140	ROM:	145	ROM:	RO	м:	ROM:		ROM:	1
CMC	Not tested	MP	Not tested	Not	tested	Not tested		Not tested	
IP [ROM:	PIP	ROM:	RO	M:	ROM:		ROM:	1
	Not tested	FIF	Not tested	☐ Not	tested	Not tested		Not tested	
		DIP	ROM:	RO	M:	ROM:		ROM:	
		J	Not tested	Not	tested	Not tested		Not tested]
					THE BELOW LIS	TED FINGERTIPS A	.ND Tł	HE PROXIMAL TRA	ANSVERSE CREASE OF THE
PALM,	WITH THE FINGER F	LEXED TO	THE EXTENT POSSIBL	.E?					
	Left Hand		Right Hand						
Index finger	No gap		☐ No gap						
illigei		cm. gap		cm. gap					
Long finger	No gap		☐ No gap						
liligei	L	cm. gap		cm. gap					
4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS?									
	Left Hand		Right Hand						
la da	No gap		No gap						
Index finger		cm. gap	П 140 дар	cm. gap					
Long finger	No gap	cm. gap	No gap	cm. gap					
Ring	No gap		No gap						
finger		cm. gap		cm. gap					
1	□ No gan	3~F	□ No gan						
Little finger	│	cm. gap	No gap	cm. gap					

	SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING (Continued)							
		IS NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS?						
YES (you will be asked to further describe these limitations in questions 6 below)								
NO, EXPLA	NIN WHY THE POST-TEST ADDITIONAL LIMI	TATIONS OF ROMS DO NOT CONTRIBUTE:						
		SECTION V - PAIN						
5A. PAINFUL RO	M MOVEMENTS ON ACTIVE, PASSIVE AND	/OR REPETITIVE USE TESTING						
		Left Hand						
	Are any ROM movements painful on active,							
passive and/or repetitive use testing? (If yes, identify whether active, passive,								
	and/or repetitive use in question 5D)							
	☐ Yes ☐ No	Yes (you will be asked to further No, explain why the pain does not contribute:						
Thumb		describe these limitations in						
		question 6 below)						
	☐ Yes ☐ No	Yes (you will be asked to further No, explain why the pain does not contribute:						
Index finger		describe these limitations in						
3*		question 6 below)						
	☐ Yes ☐ No	Yes (you will be asked to further No, explain why the pain does not contribute:						
Long finger		describe these limitations in						
question 6 below)								
	☐ Yes ☐ No	Yes (you will be asked to further No, explain why the pain does not contribute:						
Ring finger		describe these limitations in						
		question 6 below)						
	☐ Yes ☐ No	Yes (you will be asked to further No, explain why the pain does not contribute:						
Little finger		describe these limitations in						
		question 6 below)						
		Right Hand						
	Are any ROM movements painful on active,	. tight resid						
	passive and/or repetitive use testing?	If yes, does the pain contribute to functional loss or additional limitation of ROM?						
	(If yes, identify whether active, passive, and/or repetitive use in question 5D)							
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in						
		question 6 below)						
	□ Vaa □ Na	Yes (you will be asked to further No. explain why the pain does not contribute:						
Index	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in						
finger		question 6 below)						
	□ Vaa □ Na	Voo (vou viill be asked to firsther No. 1)						
Long	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in						
finger		question 6 below)						
	□ Vaa □ Na	Voo (vou viill be asked to firsther No. 18 - 18 - 18 - 18 - 18 - 18 - 18 - 18						
Ring finger		Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in						
		question 6 below)						
		Vac (constilled and also finally)						
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in						
		question 6 below)						

		SECTION V - PAIN (Continued)
5B. PAIN WHEN	JOINT IS USED IN WEIGHT-BEARING OR IN	NON WEIGHT-BEARING
		Left Hand
	Is there pain when joint is used in weight- bearing or in non weight-bearing? (If yes, identify whether weight-bearing or non weight-bearing in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
		Right Hand
	Is there pain when joint is used in weight- bearing or in non weight-bearing? (If yes, identify whether weight-bearing or non weight-bearing in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
5C. LOCALIZED	TENDERNESS OR PAIN TO PALPATION	
		Left Hand
	Does the Veteran have localized tenderness or pain to palpation for joints or soft tissue?	If yes, describe the tenderness or pain (including location, severity and relationship to condition(s) listed in the Diagnosis section):
Thumb	Yes No	
Index finger	Yes No	
Long finger	Yes No	
Ring finger	Yes No	
Little finger	Yes No	

SECTION V - PAIN (Continued)								
	Right Hand							
	Does the Veteran have localized tenderness or pain to palpation for joints or soft tissue? If yes, describe the tenderness or pain (including location, severity and relationship to condition(s) listed in the Diagnosis section):							
Thumb	Thumb Yes No							
Index finger	Yes NO							
Long finger								
Ring finger	Ring finger Yes No							
Little finger	Yes No							
5D. COMMENTS	, IF ANY:							
	SECTION VI - FUN	ICTIONAL LOSS AND ADDITIONAL LIMITATION	ON OF ROM					
NOTE: The VA endurance.	defines functional loss as the inability to per	form normal working movements of the body with n	ormal excursion, strengt	h, speed, coordination and/or				
Using information	on from the history and physical exam, select tion of ROM or increased gap distance after	the factors below that contribute to functional loss of repetitive use for the joint or extremity being evaluate	r impairment (regardless ed on this DBQ:	s of repetitive use) or to				
	ING FACTORS OF DISABILITY (check all the							
	nal loss for left hand, thumb or fingers all loss for right hand, thumb or fingers							
			I	T =				
Contributing fac	ctor		Left Hand	Right Hand				
	vement than normal nkylosis, limitation or blocking, adhesions, te	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger					
	vement than normal il joints, resections, nonunion of fractures, re	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger					
Weakened movement (due to muscle injury, disease or injury of peripheral nerves, divided or lengthened tendons, etc.) None All All Thumb Index finger Long finger Long finger Ring finger Little finger								
Excess fa	atigability		None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)						
6A. CONTRIBUTING FACTORS OF DISABILITY (check all that apply and indicate digit affected):						
Contributing factor	Left Hand	Right Hand				
☐ Incoordination, impaired ability to execute skilled movements smoothly	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				
Pain on movement	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				
Swelling	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				
Deformity	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				
Atrophy of disuse	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				
Other, describe:						
NOTE: If any of the above factors is/are associated with limitation of motion, the examiner must give an opinion on whether pain, weakness, fatigability, or incoordination could significantly limit functional ability during flare-ups or when the joint is <i>used repeatedly over a period of time</i> and that opinion, if feasible, should be expressed in terms of the degree of ROM loss or gap distances due to pain on use or during flare-ups. The following section will assist you in providing this required opinion. 6B. ARE ANY OF THE ABOVE FACTORS ASSOCIATED WITH LIMITATION OF MOTION?						
YES, COMPLETE QUESTIONS 6C THROUGH 6E, AND F BELOW. NO, SKIP TO F.						

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)

6C. DOES PAIN, WEAKNESS, FATIGABILITY, OR INCOORDINATION SIGNIFICANTLY LIMIT FUNCTIONAL ABILITY DURING FLARE-UPS OR WHEN THE FINGER IS USED REPEATEDLY OVER A PERIOD OF TIME?

LEFT HAND		during flare-ups or whe	o pain and/or functional loss in the joint is used repeatedly period of time	during flare-ups or when t	Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time		
		Flexion	Extension	Gap between the fingertip and the proximal transverse crease of the palm, with the finger flexed to the extent possible	Gap between the thumb pad and the finger, with the thumb attempting to oppose the fingers		
Thumb	Yes (complete estimated ROM)	CMC Estimate is not feasible	Est. ROM: Estimate is not feasible	N/A	N/A		
		IP Est. ROM: Estimate is not feasible	- IP				
	Yes (complete	MP Est. ROM: Estimate is not feasible	Est. ROM: Estimate is not feasible	No estimated can	No estimated gas		
Index finger	estimated ROM and gap distances) No	PIP Est. ROM: Estimate is not feasible	PIP Est. ROM: Estimate is not feasible	No estimated gap Est. cm gap Estimate is not feasible	No estimated gap Est cm gap Estimate is not feasible		
		DIP Est. ROM: Estimate is not feasible	DIP Est. ROM: Estimate is not feasible	leasible	iedsibie		
	Yes (complete	MP Est. ROM: Estimate is not feasible	Bst. ROM: Estimate is not feasible	No estimated gap	☐ No estimated gap ☐ Est cm gap ☐ Estimate is not feasible		
Long finger	Long estimated ROM	PIP Est. ROM: Estimate is not feasible	PIP Est. ROM: Estimate is not feasible	Est. cm gap Estimate is not feasible			
		DIP Est. ROM: Estimate is not feasible	DIP Est. ROM: Estimate is not feasible				
	Yes (complete	MP Est. ROM: Estimate is not feasible	MP Est. ROM: Estimate is not feasible	No estimated gap	No estimated gap Est. cm gap Estimate is not feasible		
Ring finger	estimated ROM and gap distances) No	PIP Est. ROM: Estimate is not feasible	PIP Est. ROM: Estimate is not feasible	Est cm gap Estimate is not feasible			
		DIP Est. ROM: Estimate is not feasible	DIP Est. ROM: Estimate is not feasible	leasible			
	Yes (complete	MP Est. ROM: Estimate is not feasible	Est. ROM: Estimate is not feasible	─	No estimated gap Est. cm gap Estimate is not		
Little finger	estimated ROM and gap distances) No	PIP Est. ROM: Estimate is not feasible	PIP Est. ROM: Estimate is not feasible	Est cm gap Estimate is not feasible			
		DIP Est. ROM: Estimate is not feasible	DIP Est. ROM: Estimate is not feasible	leasible	feasible		
		Fatimated DOM due to	a nain and/ar functional loss	Fatimated Can distance due	to noin and/or functional loss		
		during flare-ups or whe	o pain and/or functional loss in the joint is used repeatedly period of time	Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time			
RIGHT HAND		Flexion	Extension	Gap between the fingertip and the proximal transverse crease of the palm, with the finger flexed to the extent possible	Gap between the thumb pad and the finger, with the thumb attempting to oppose the fingers		
Thomas	Yes (complete estimated ROM)	CMC Est. ROM: Estimate is not feasible	CMC Est. ROM: Estimate is not feasible	N/A	NIA		
Thumb	No	IP Est. ROM: Estimate is not feasible	Est. ROM: Estimate is not feasible	- N/A	N/A		

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)

6C. DOES PAIN, WEAKNESS, FATIGABILITY, OR INCOORDINATION SIGNIFICANTLY LIMIT FUNCTIONAL ABILITY DURING FLARE-UPS OR WHEN THE FINGER IS USED REPEATEDLY OVER A PERIOD OF TIME?

		Estimated ROM due to pour during flare-ups or when the over a per	he joint	is used repeatedly	Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time		
RIGHT HAND		Flexion	Extension		Gap between the fingertip and the proximal transverse crease of the palm, with the finger flexed to the extent possible	Gap between the thumb pad and the finger, with the thumb attempting to oppose the fingers	
	Yes (complete	MP Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No estimated gap		
Index finger	estimated ROM and gap distances) No	PIP Est. ROM: Estimate is not feasible	PIP	Estimate is not feasible	Est cm gap Estimate is not feasible	No estimated gap Est. cm gap Estimate is not feasible	
		DIP Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible	loadible	icacisie	
	Yes (complete	MP Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No estimated gap	No estimated gan	
Long finger	estimated ROM and gap distances) No	PIP Est. ROM: Estimate is not feasible	PIP	Estimate is not feasible	Est cm gap Estimate is not feasible	No estimated gap Est. cm gap Estimate is not feasible	
		DIP Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible	leasible		
	Yes (complete	MP Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No estimated gap	No estimated gap Est. cm gap Estimate is not feasible	
Ring finger	estimated ROM and gap distances) No	PIP	PIP	Est. ROM: Estimate is not feasible	Est. cm gap Estimate is not feasible		
		DIP Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible			
	Yes (complete	MP Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No estimated gap	No estimated gap Est. cm gap Estimate is not feasible	
Little finger	estimated ROM and gap distances) No	PIP	PIP	Est. ROM: Estimate is not feasible	Est. cm gap Estimate is not feasible		
		DIP Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible			
		TIMATED LIMITATION OF ROM OF LY OVER A PERIOD OF TIME IS N				DURING FLARE-UPS OR WHEN	
6E. FOR ANY JOINTS IN WHICH THERE IS A FUNCTIONAL LOSS DUE TO PAIN, DURING FLARE-UPS AND/OR WHEN THE JOINT IS USED REPEATEDLY OVER A PERIOD OF TIME BUT THE LIMITATION OF ROM OR GAP DISTANCES CANNOT BE ESTIMATED, PLEASE DESCRIBE THE FUNCTIONAL LOSS:							
		CH THERE IS FUNCTIONAL LOSS OF TIME OR OTHERWISE:	6 (not a	ssociated with limitation o	of motion) DURING FLARE-UPS	OR WHEN THE JOINT IS USED	
Left:	None All	Thumb Index finger	Lon	ng finger Ring finge	er Little finger		
Right:	None All	Thumb Index finger	Lon	ig finger Ring finge	er Little finger		

		;	SECTION VII - MUSCLE STRENGTH TESTIN	NG				
7A. MUSCLE STRENGTH	- RATE STRE	ENTH ACCORDING	TO THE FOLLOWING SCALE:					
0/5 No muscle moveme 1/5 Palpable or visible of 2/5 Active movement w 3/5 Active movement a 4/5 Active movement a	muscle contra vith gravity eling gainst gravity	minated	ovement					
5/5 Normal strength	gamot some i	colotanoc						
All normal (5/5)	5/5	4/5 3/5	2/5					
Hand grip: Right:								
Left:	5/5	4/5 3/5						
IF THE VETERAN HAS A REDUCTION IN MUSCLE STRENGTH, IS IT DUE TO A DIAGNOSIS LISTED IN SECTION 1? YES NO IF NO, PROVIDE RATIONALE:								
7B. DOES THE VETERAN	HAVE MUSC	CLE ATROPHY?						
YES NO								
IF YES, IS THE MUSCLE			S LISTED IN SECTION 1?					
YES NO IF	NO, PROVIE	DE RATIONALE:						
FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK.								
LOCATION OF MUSCLE ATROPHY:								
RIGHT UPPER EXTREMITY (specify location of measurement):								
CIRCUMFERENCE OF MORE NORMAL SIDE: CM								
CIRCUMFERENCE OF ATROPHIED SIDE: CM								
LEFT UPPER EXTREMITY (specify location of measurement):								
CIRCUMFERENCE OF MORE NORMAL SIDE: CM CIRCUMFERENCE OF ATROPHIED SIDE: CM								
7C. COMMENTS, IF ANY:								
Complete this section if V	ataran has an	akylogic of any thur	SECTION VIII - ANKYLOSIS					
			n of a joint due to disease, injury or surgical proced	dure.				
8A. INDICATE LOCATION	, SEVERITY /	AND SIDE AFFECT	ED (check all that apply):					
			Left Hand No ankylosis					
	Name of	lo it galante conto	If ankylosed, what is the	If ankylosed, is there	If ankylosed, is there			
	joint	Is it ankylosed?	position of ankylosis	rotation of a bone?	angulation of a bone?			
	CMC	Yes	☐ In extension ☐ In full flexion	Yes	Yes			
Thumb		∐ No	Other, degrees of flexion	∐ No	No			
No ankylosis	IP	Yes	☐ In extension ☐ In full flexion	Yes	Yes			
	"	☐ No	Other, degrees of flexion	☐ No	☐ No			
	MCD	Yes	☐ In extension ☐ In full flexion	Yes	Yes			
Index Finger	MCP	☐ No	Other, degrees of flexion	☐ No	☐ No			
No ankylosis		Yes	In extension In full flexion	Yes	Yes			
	PIP	☐ No	Other, degrees of flexion	No	□ No			

Long Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
Ring Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
Little Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
		•	Right Hand		•
	Name of joint	Is it ankylosed?	No ankylosis If ankylosed, what is the position of ankylosis	If ankylosed, is there rotation of a bone?	If ankylosed, is there angulation of a bone?
Thumb No ankylosis	CMC	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
	IP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
Index Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
Long Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
Ring Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
Little Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No
	PIP	Yes No	☐ In extension ☐ In full flexion ☐ Other, degrees of flexion	Yes No	Yes No

SECTION IX - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS 9A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL, FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS, ON ANY SCARS (surgiced or shemical RELATED TO ANY CONDITION OF THE TEXTAMENT OF ANY CONDITIONS SIGNS OR SYMPTOMS, ON ANY SCARS (surgiced or shemical RELATED TO ANY CONDITIONS SIGNS OR SYMPTOMS SIGNS OR SYMPTOMS SIGNS ON THE DIAGNOSIS SECTION ADOVE? 9B. DOES THE VETERON HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS SIGNS OR SYMPTOMS RELATED TO ANY COND	SECTION VIII - ANKYLOSIS (Continued)				
96. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL PRIDINGS. COMPLICATIONS. CONDITIONS. SIGNS OR SYMPTOMS. OR ANY SCARS (sanglear of architerists) per learned to the condition of the treatment of Any Conditions Listed in the Diagnosis Section Above? 97. YES NO	8C. COMMENTS, IF ANY:				
96. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL PRIDINGS. COMPLICATIONS. CONDITIONS. SIGNS OR SYMPTOMS. OR ANY SCARS (sanglear of architerists) per learned to the condition of the treatment of Any Conditions Listed in the Diagnosis Section Above? 97. YES NO					
96. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL PRIDINGS. COMPLICATIONS. CONDITIONS. SIGNS OR SYMPTOMS. OR ANY SCARS (sanglear of architerists) per learned to the condition of the treatment of Any Conditions Listed in the Diagnosis Section Above? 97. YES NO					
or other-size RELATED TO ANY CONDITION OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE? VES					
BODES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE? VES	or otherwise) RELATED TO ANY CONDITION OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?				
CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE? YES	YES NO IF YES, COMPLETE THE FOLLOWING SECTION				
9C. DOES THE VETERAN HAVE ANY SCARS (nurgical or otherwise) RELATED TO ANY CONDITION OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNASIS SECTION AGOVE? YES					
DIGNOSIS SECTION ABOVE? YES NO IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK? YES NO IF YES, ALSO COMPLETE A SCARS DBQ. IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS. LOCATION: NOTE: An "unstable sear" is one where, for any reason, there is frequent loss of covering of the skin over the sear. If there are multiple sears, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ. 9D. COMMENTS, IF ANY: SECTION X - ASSISTIVE DEVICES 10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Brace Frequency of use: Other: Frequency of use: Occasional Regular Constant Frequency of use: Other: SECTION X - REMAINING EFFECTIVE FUNCTION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION X - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN SHAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTRESISY (Functions of the upper externity in challe before and propulsion, etc., while functions for the lower externity in challe before and propulsion, etc., while functions for the lower externity in challe before and propulsion, etc., while functions of the lower externity in challe before and propulsion, etc., while functions of the lower externity in challe before and propulsion, etc., while functions of the Propulsion (floot) are as limited as if the Veteran hald an amput	YES NO IF YES, DESCRIBE (brief summary):				
DIGNOSIS SECTION ABOVE? YES NO IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK? YES NO IF YES, ALSO COMPLETE A SCARS DBQ. IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS. LOCATION: NOTE: An "unstable sear" is one where, for any reason, there is frequent loss of covering of the skin over the sear. If there are multiple sears, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ. 9D. COMMENTS, IF ANY: SECTION X - ASSISTIVE DEVICES 10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Brace Frequency of use: Prequency of use: Other: Regular Constant 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINING OFFICE THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTRESISY (Practions of the upper externity in challed sprappy, an amputation and with function of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation and prostless, not extern the functions of grasping (band) or propulsion (floor) are as limited as if the Veteran should undergo an amputation and prostless, for example, if the functions of grasping (band) or propulsion (floor) are as limited as if the Veteran should undergo an amputation and this filting of profess, be recample, if the functions of grasping (band) or propulsion (floor) are as limited as if the Veteran should undergo an amputation and the filting of profess, be rexample, if the functions of grasping (band) or propulsion (floor)					
DIGNOSIS SECTION ABOVE? YES NO IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK? YES NO IF YES, ALSO COMPLETE A SCARS DBQ. IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS. LOCATION: NOTE: An "unstable sear" is one where, for any reason, there is frequent loss of covering of the skin over the sear. If there are multiple sears, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ. 9D. COMMENTS, IF ANY: SECTION X - ASSISTIVE DEVICES 10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Brace Frequency of use: Prequency of use: Other: Regular Constant 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINING OFFICE THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTRESISY (Practions of the upper externity in challed sprappy, an amputation and with function of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation and prostless, not extern the functions of grasping (band) or propulsion (floor) are as limited as if the Veteran should undergo an amputation and prostless, for example, if the functions of grasping (band) or propulsion (floor) are as limited as if the Veteran should undergo an amputation and this filting of profess, be recample, if the functions of grasping (band) or propulsion (floor) are as limited as if the Veteran should undergo an amputation and the filting of profess, be rexample, if the functions of grasping (band) or propulsion (floor)					
DIGNOSIS SECTION ABOVE? YES NO IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK? YES NO IF YES, ALSO COMPLETE A SCARS DBQ. IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS. LOCATION: NOTE: An "unstable sear" is one where, for any reason, there is frequent loss of covering of the skin over the sear. If there are multiple sears, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ. 9D. COMMENTS, IF ANY: SECTION X - ASSISTIVE DEVICES 10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Brace Frequency of use: Prequency of use: Other: Regular Constant 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINING OFFICE THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTRESISY (Practions of the upper externity in challed sprappy, an amputation and with function of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation and prostless, not extern the functions of grasping (band) or propulsion (floor) are as limited as if the Veteran should undergo an amputation and prostless, for example, if the functions of grasping (band) or propulsion (floor) are as limited as if the Veteran should undergo an amputation and this filting of profess, be recample, if the functions of grasping (band) or propulsion (floor) are as limited as if the Veteran should undergo an amputation and the filting of profess, be rexample, if the functions of grasping (band) or propulsion (floor)					
IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches). OR ARE LOCATED ON THE HEAD, FACE OR NECK? YES					
LOCATED ON THE HEAD, FACE OR NECK? YES NO IF YES, ALSO COMPLETE A SCARS DBQ. IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS. LOCATION: Measurements: length	L YES NO				
IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS. Location:					
Measurements: length cm. X width cm. NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ. 9D. COMMENTS, IF ANY: SECTION X - ASSISTIVE DEVICES					
NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ. 9D. COMMENTS, IF ANY: SECTION X - ASSISTIVE DEVICES	Location:				
NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ. 9D. COMMENTS, IF ANY: SECTION X - ASSISTIVE DEVICES	Measurements: length cm X width cm.				
SECTION X - ASSISTIVE DEVICES 10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES? YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Brace Frequency of use: Occasional Regular Constant Other: Frequency of use: Occasional Regular Constant 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should describe the diminished functioning. The questions simply asks whether the functional loss is to the	NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations				
SECTION X - ASSISTIVE DEVICES 10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): 10B. IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: 10B. IF THE VETERAN HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES:					
10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES? YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Frequency of use: Occasional Regular Constant Other: Frequency of use: Occasional Regular Constant 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the	B. COMMENTS, II ANT.				
10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES? YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Frequency of use: Occasional Regular Constant Other: Frequency of use: Occasional Regular Constant 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES? YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Frequency of use: Occasional Regular Constant Other: Frequency of use: Occasional Regular Constant 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES? YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Frequency of use: Occasional Regular Constant Other: Frequency of use: Occasional Regular Constant 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency): Brace					
Other: Frequency of use: Occasional Regular Constant 10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES 11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the	Other: Frequency of use: Occasional Regular Constant				
11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the	10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:				
11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the	OFOTION VI. DEMANNING EFFECTIVE FUNCTION OF THE EVERENITIES				
FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the	FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper				
IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the	YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN.				
FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary): NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the					
undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the	NOTE: The intention of this section is to permit the examiner to quantify the level of commings function; it is not intended to incurre the West of th				
value appres as it more there an ampaisation of the arrested inno.	undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an				

SECTION XII - DIAGNOSTIC TESTING							
NOTE: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has been documented, even if arthritis has been documented.							
12A. HAVE IMAGING STUDIES OF THE HANDS BEEN PERFORMED AND ARE THE RESULTS AVAILABLE? YES NO							
IF YES, ARE THERE ABNORMAL FINDINGS? YES NO							
IF YES, INDICATE FINDINGS: DEGENERATIVE OR TRAUMATIC ARTHRITIS HAND: RIGHT LEFT BOTH IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED IN MULTIPLE JOINTS OF THE SAME HAND, INCLUDING THUMB AND FINGERS? YES NO IF YES, INDICATE HAND: RIGHT LEFT BOTH							
OTHER. DESCRIBE: HAND: RIGHT LEF	т 📗 вотн						
12B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS OR RESULTS? YES NO IF YES, PROVIDE TYPE OF TEST OR PROCEDURE, DATE AND RESULTS (brief summary):							
12C. IF ANY TEST RESULTS ARE OTHER THAN NORMAL, INDICATE RELATIONSHIP OF ABNORMAL FINDINGS TO DIAGNOSED CONDITIONS:							
SECTION XIII - FUNCTIONAL IMPACT							
NOTE: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors	s, such as age.						
13. REGARDLESS OF THE VETERAN'S CURRENT EMPLOYMENT STATUS, DO THE CONDITION(S) LISTED IN THE DIAGNOSIS SECT ABILITY TO PERFORM ANY TYPE OF OCCUPATIONAL TASK (such as standing, walking, lifting, sitting, etc.)?	TION IMPACT HIS OR HER						
YES NO IF YES, DESCRIBE THE FUNCTIONAL IMPACT OF EACH CONDITION, PROVIDING ONE OR MORE EXAMPLES:							
SECTION XIV - REMARKS							
14. REMARKS, IF ANY:							
SECTION XV - PHYSICIAN'S CERTIFICATION AND SIGNATURE							
CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.							
15A. PHYSICIAN'S SIGNATURE 15B. PHYSICIAN'S PRINTED NAME	15C. DATE SIGNED						
15D. PHYSICIAN'S PHONE AND FAX NUMBER 15E. NATIONAL PROVIDER IDENTIFIER (NPI) NUMBER 15F. PHYSICIAN'S ADDRE							
NOTE: VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.							
IMPORTANT - Physician please fax the completed form to (VA Regional Office FAX No.)							
NOTE: A list of VA Regional Office FAX Numbers can be found at www.vba.va.gov/disabilityexams or obtained by calling 1-800-827-1000.							

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not day an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.